Canadian Geotechnical Journal

Contents
Volume 39, 2002

Revue canadienne de géotechnique

Sommaire
Volume 39, 2002

February / février

ARTICLES

Li Li and Michel Aubertin A crack-induced stress approach to describe the tensile strength of transversely isotropic rocks **1**

Robert P. Chapuis and Djaouida Chenaf Slug tests in a confined aquifer: experimental results in a large soil tank and numerical modeling **14**

Claudio Mancuso, Roberto Vassallo, and Anna d'Onofrio Small strain behavior of a silty sand in controlled-suction resonant column – torsional shear tests **22**

Daud W. Rassam Variation of evaporative and shear strength parameters along a tailings delta **32**

Lara Fletcher, Oldrich Hungr, and S.G. Evans Contrasting failure behaviour of two large landslides in clay and silt **46**

S. Sivathayalan and Y.P. Vaid Influence of generalized initial state and principal stress rotation on the undrained response of sands **63**

S.R. Lo and S.P.R. Wardani Strength and dilatancy of a silt stabilized by a cement and fly ash mixture **77**

Jean-Pierre LeBihan and Serge Leroueil A model for gas and water flow through the core of earth dams **90**

Giampaolo Cortellazzo Comparison between laboratory and in situ values of the coefficient of primary consolidation c_v **103**

Samer Sadek, Magued G. Iskander, and Jinyuan Liu Geotechnical properties of transparent silica **111**

Edward J. Murray An equation of state for unsaturated soils **125**

Achour Bellaloui, Gilbert Nkurunziza, et Gérard Ballivy Caractérisation en laboratoire du potentiel expansif de granulats de remblais de fondation **141**

J.A. Howie, T. Shozen, and Y.P. Vaid Effect of ageing on stiffness of very loose sand **149**

Jian-Hua Yin, Jun-Gao Zhu, and James Graham A new elastic viscoplastic model for time-dependent behaviour of normally and overconsolidated clays: theory and verification **157**

Denis Demers and Serge Leroueil Evaluation of preconsolidation pressure and the overconsolidation ratio from piezocone tests of clay deposits in Quebec **174**

Jacques Locat and Homa J. Lee Submarine landslides: advances and challenges **193**

Q. Wang, D.E. Pufahl, and D.G. Fredlund A study of critical state on an unsaturated silty soil **213**

NOTES

Anthony T.C. Goh Probabilistic neural network for evaluating seismic liquefaction potential **219**

J.C. Santamarina, K.A. Klein, Y.H. Wang, and E. Prencke Specific surface: determination and relevance **233**

L.-K. Chien and Y.-N. Oh Influence of fines content and initial shear stress on dynamic properties of hydraulic reclaimed soil **242**

Lien-Kwei Chien, Yan-Nam Oh, and Chih-Hsin Chang Effects of fines content on liquefaction strength and dynamic settlement of reclaimed soil **254**

D.M. Cruden, A.E. Peterson, S. Thomson, and P. Zabeti Thirty-five years of activity at the Lesueur landslide, Edmonton, Alberta **266**

April / avril

ARTICLES

Jean-Sébastien Dubé, Rosa Galvez-Cloutier, and Thierry Winiarski Heavy metal transport in soil contaminated by residual light non-aqueous phase liquids (LNAPLs) **279**

Barry Lehane and Martin Fahey A simplified nonlinear settlement prediction model for foundations on sand **293**

Dennes T. Bergado, A.S. Balasubramaniam, R. Jonathan Fannin, and Robert D. Holtz Prefabricated vertical drains (PVDs) in soft Bangkok clay: a case study of the new Bangkok International Airport project **304**

Christian Huggel, Andreas Kääb, Wilfried Haeberli, Philippe Teysseire, and Frank Paul Remote sensing based assessment of hazards from glacier lake outbursts: a case study in the Swiss Alps **316**

Radu Popescu Finite element assessment of the effects of seismic loading rate on soil liquefaction **331**

R.A. Gould, Philip R. Bedell, and J.G. Muckle Construction over organic soils in an urban environment: four case histories **345**

Vicky Peacey, Ernest K. Yanful, and Roger Payne Field study of geochemistry and solute fluxes in flooded uranium mine tailings **357**

Susan Tighe Evaluation of subgrade and climatic zone influences on pavement performance in the Canadian Strategic Highway Program's (C-SHRP) Long-Term Pavement Performance (LTPP) study **377**

M.W. Bo, V. Choa, and K.S. Wong Compression tests on a slurry using a small-scale consolidometer **388**

Guy Lefebvre and Fabien Burnotte Improvements of electroosmotic consolidation of soft clays by minimizing power loss at electrodes **399**

Philip R. Bedell, Frederick W. Firlotte, and Kevin Atherton A case record of tailings dam construction using residual soils **409**

Robert P. Chapuis The 2000 R.M. Hardy Lecture: Full-scale hydraulic performance of soil–bentonite and compacted clay liners **417**

Jean-François Crémer, Bernard Long, Gaston Desrosiers, Laure de Montety, et Jacques Locat Application de la scanographie à l'étude de la densité des sédiments et à la caractérisation des structures sédimentaires : exemple des sédiments déposés dans la rivière Saguenay (Québec, Canada) après la crue de juillet 1996 **440**

Alain Denis et Francis Cremoux Traitement et analyse des paramètres de pilotage d'un tunnelier **451**

NOTES

Jyant Kumar and Sridhar Chitikela Seismic passive earth pressure coefficients using the method of characteristics **463**

I.M. Lee, Y.J. Park, and Lakshmi N. Reddi Particle transport characteristics and filtration of granitic residual soils from the Korean peninsula **472**

DISCUSSIONS

M. Arroyo and P.D. Greening Phase and amplitude responses associated with the measurement of shear-wave velocity in sand by bender elements: Discussion **483**

J. Blewett, I.J. Blewett, and P.K. Woodward Phase and amplitude responses associated with the measurement of shear-wave velocity in sand by bender elements: Reply **485**

R.G. Robinson Modelling hydraulic conductivity in a small centrifuge: Discussion **486**

Devendra N. Singh and Ashok K. Gupta Modelling hydraulic conductivity in a small centrifuge: Reply **488**

M.R. Svinkin A possible physical meaning of Case damping in pile dynamics: Discussion **490**

L.M. Zhang, M.C. McVay, and C.W.W. Ng A possible physical meaning of Case damping in pile dynamics: Reply **493**

John H. Schmertmann A method for assessing the relative likelihood of failure of embankment dams by piping: Discussion **495**

Mark Foster, Robin Fell, and Matt Spannagle A method for assessing the relative likelihood of failure of embankment dams by piping: Reply **497**

ERRATUM

G.G. Meyerhof Erratum: In Memoriam for Sir Alec Westley Skempton, KBE **501**

June / juin

ARTICLES

D. Dixon, N. Chandler, J. Graham, and M.N. Gray Two large-scale sealing tests conducted at Atomic Energy of Canada's underground research laboratory: the buffer–container experiment and the isothermal test **503**

David J. Eden and Nicholas Eyles Case study of a relict iceberg scour exposed at Scarborough Bluffs, Toronto, Ontario: implications for pipeline engineering **519**

Hélène Tremblay, Josée Duchesne, Jacques Locat, and Serge Leroueil Influence of the nature of organic compounds on fine soil stabilization with cement **535**

J. Côté and J.-M. Konrad A field study of hoarfrost formation on insulated pavements **547**

L.M. Zhang, M.C. McVay, S.J. Han, P.W. Lai, and R. Gardner Effects of dead loads on the lateral response of battered pile groups **561**

Magued Iskander, Sherif El-Gharbawy, and Roy Olson Performance of suction caissons in sand and clay **576**

Cheng Zhou, Jian-Hua Yin, and Jing-Ping Ming Bearing capacity and settlement of weak fly ash ground improved using lime – fly ash or stone columns **585**

J.K. Kodikara, F. Rahman, and S.L. Barbour Towards a more rational approach to chemical compatibility testing of clay **597**

Hajime Matsuoka, De'an Sun, Akiteru Kogane, Nobuhiko Fukuzawa, and Wataru Ichihara Stress–strain behaviour of unsaturated soil in true triaxial tests **608**

Morched Zeghal and Tuncer B. Edil Soil structure interaction analysis: modeling the interface **620**

Scott M. Olson and Timothy D. Stark Liquefied strength ratio from liquefaction flow failure case histories **629**

K. Ilamparuthi, E.A. Dickin, and K. Muthukrisnaiah Experimental investigation of the uplift behaviour of circular plate anchors embedded in sand **648**

H. El-Ramly, N.R. Morgenstern, and D.M. Cruden Probabilistic slope stability analysis for practice **665**

D.N. Singh and Sneha J. Kuriyan Estimation of hydraulic conductivity of unsaturated soils using a geotechnical centrifuge **684**

K. Rainer Massarsch and Bengt H. Fellenius Vibratory compaction of coarse-grained soils **695**

J.H. Shin and D.M. Potts Time-based two dimensional modelling of NATM tunnelling **710**

NOTES

Mohammed Laid Hemila et Waclaw Marian Kowalski Synthèse géoélectrique appliquée à la caractérisation des contacts entre nappes de charriage et son apport hydrogéologique dans la Plaine de Tamlouka « Région de Guelma, Est Algérien » **725**

J. Blewett, W.J. McCarter, T.M. Chrisp, and G. Starrs An automated and improved laboratory consolidation system **738**

Der-Her Lee, C. Hsein Juang, Hung-Ming Lin, and Shing-Hung Yeh Mechanical behavior of Tien-Liao mudstone in hollow cylinder tests **744**

C.W.W. Ng, L.T. Zhan, and Y.J. Cui A new simple system for measuring volume changes in unsaturated soils **757**

DISCUSSIONS

Ashok K. Chugh A method for locating critical slip surfaces in slope stability analysis: Discussion **765**

D.-Y. Zhu A method for locating critical slip surfaces in slope stability analysis: Reply **771**

ERRATUM

J.A. Howie, T. Shozen, and Y.P. Vaid Erratum: Effect of ageing on stiffness of very loose sand **772**

August / août

ARTICLES

Susan L. Nichol, Oldrich Hungr, and S.G. Evans Large-scale brittle and ductile toppling of rock slopes **773**

T.R. Davies and M.J. McSaveney Dynamic simulation of the motion of fragmenting rock avalanches **789**

Muhsiung Chang A 3D slope stability analysis method assuming parallel lines of intersection and differential straining of block contacts **799**

Duilio Marcial, Pierre Delage, and Yu Jun Cui On the high stress compression of bentonites **812**

Gonghui Wang and Kyoji Sassa Post-failure mobility of saturated sands in undrained load-controlled ring shear tests **821**

Jin-Chun Chai, Norihiko Miura, and Shui-Long Shen Performance of embankments with and without reinforcement on soft subsoil **838**

Jagath C. Ekanayake and Christopher J. Phillips Slope stability thresholds for vegetated hillslopes: a composite model **849**

B.G.N. Miller and D.M. Cruden The Eureka River landslide and dam, Peace River Lowlands, Alberta **863**

Simonetta Cola and Paolo Simonini Mechanical behavior of silty soils of the Venice lagoon as a function of their grading characteristics **879**

Gary X. Tang and James Graham A possible elastic–plastic framework for unsaturated soils with high-plasticity **894**

J.K. Kodikara and F. Rahman Effects of specimen consolidation on the laboratory hydraulic conductivity measurement **908**

N.D. Cristescu, O. Cazacu, and C. Cristescu A model for slow motion of natural slopes **924**

S. Tripathy, K.S. Subba Rao, and D.G. Fredlund Water content – void ratio swell–shrink paths of compacted expansive soils **938**

Achour Bellaloui, Arezki Tagnit-Hamou, et Gérard Ballivy Comportement physico-chimique de mélanges à base de poussières de four de cimenterie et de cendres volantes **960**

NOTES

Deepankar Choudhury and K.S. Subba Rao Seismic passive resistance in soils for negative wall friction **971**

Jyant Kumar Seismic horizontal pullout capacity of vertical anchors in sands **982**

Francesco Cafaro Metastable states of silty clays during drying **992**

DISCUSSIONS

R.G. Robinson and M.M. Allam Coefficient of consolidation from the linear segment of the $t^{1/2}$ curve: Discussion **1000**

Tao-Wei Feng and Yi-Jiuan Lee Coefficient of consolidation from the linear segment of the $t^{1/2}$ curve: Reply **1002**

BOOK REVIEW / CRITIQUE DE LIVRE

John Beck and David Hanratty Aggregates: sand, gravel and crushed rock aggregates for construction purposes (3rd ed.) **1004**

October / octobre

ARTICLES

J.A. Blatz, J. Graham, and N.A. Chandler Influence of suction on the strength and stiffness of compacted sand–bentonite **1005**

R.K. Rowe, J.Q. Shang, and Y. Xie Effect of permeating solutions on complex permittivity of compacted clay **1016**

Jeaan Hwang, Mandar Dewoolkar, and Hon-Yim Ko Stability analysis of two-dimensional excavated slopes considering strength anisotropy **1026**

Serge Leroueil, Jean-Pierre Le Bihan, Samira Sebaihi, and Viad Alicescu Hydraulic conductivity of compacted tills from northern Quebec **1039**

S.G. Chung, P.H. Giao, G.J. Kim, and S. Leroueil Geotechnical properties of Pusan clays **1050**

Reiko Kuwano and Richard J. Jardine On measuring creep behaviour in granular materials through triaxial testing **1061**

Faten Saihi, Serge Leroueil, Pierre La Rochelle, and Ivan French Behaviour of the stiff and sensitive Saint-Jean-Vianney clay in intact, destructured, and remoulded conditions **1075**

Hans H. Vaziri, Elise M. Lemoine, and Y. Xiao Quantification of sand production induced improvement in productivity index **1088**

Murray D. Fredlund, G. Ward Wilson, and Delwyn G. Fredlund Use of the grain-size distribution for estimation of the soil-water characteristic curve **1103**

Y. Cho, S. Bang, and T. Preber Transition of soil friction during suction pile installation **1118**

E. Mohamedelhassan and J.Q. Shang Vacuum and surcharge combined one-dimensional consolidation of clay soils **1126**

Irene M.C. Lo, W.W. Zhou, and K.M. Lee Geotechnical characterization of dewatered sewage sludge for landfill disposal **1139**

Amer Ali Al-Rawas Microfabric and mineralogical studies on the stabilization of an expansive soil using cement by-pass dust and some types of slags **1150**

G. Zhang, P.K. Robertson, and R.W.I. Brachman Estimating liquefaction-induced ground settlements from CPT for level ground **1168**

NOTES

Erick J. Baziw Derivation of seismic cone interval velocities utilizing forward modeling and the downhill simplex method **1181**

Vinod K. Garga and Miguel de la Torre Emergency remediation of instability at Caudalosa tailings dam, Peru: a case history **1193**

Supot Teachavorasinskun, Pipat Thongchim, and Panitan Lukkunaprasit Shear modulus and damping of soft Bangkok clays **1201**

R.M. Khanzode, S.K. Vanapalli, and D.G. Fredlund Measurement of soil-water characteristic curves for fine-grained soils using a small-scale centrifuge **1209**

DISCUSSIONS

Dov Leshchinsky Coulomb wedge analysis of cuts in steep slopes: Discussion **1218**

L.D. Wesley Coulomb wedge analysis of cuts in steep slopes: Reply **1219**

December / décembre

ARTICLES

Henri P. Sangam and R. Kerry Rowe Effects of exposure conditions on the depletion of antioxidants from high-density polyethylene (HDPE) geomembranes **1221**

J.-M. Konrad Prediction of freezing-induced movements for an underground construction project in Japan **1231**

N. Boukpeti, Z. Mróz, and A. Drescher A model for static liquefaction in triaxial compression and extension **1243**

J.R. Omer, R. Delpak, and R.B. Robinson Instrumented load tests in mudstone: pile capacity and settlement prediction **1254**

Manuel Melis, Luis Medina, and José Mª Rodríguez Prediction and analysis of subsidence induced by shield tunnelling in the Madrid Metro extension **1273**

Hiroyuki Tanaka, Fusao Ritoh, and Naoki Omukai Quality of samples retrieved from great depth and its influence on consolidation properties **1288**

E.Z. Wang, Z.Q. Yue, L.G. Tham, Y. Tsui, and H.T. Wang A dual fracture model to simulate large-scale flow through fractured rocks **1302**

M.D. Liu and J.P. Carter A structured Cam Clay model **1313**

A. Fawaz, M. Boulon, and E. Flavigny Parameters deduced from the pressuremeter test **1333**

Jean-Marie Fleureau, Jean-Claude Verbrugge, Pedro J. Huergo, António Gomes Correia, and Siba Kheirbek-Saoud Aspects of the behaviour of compacted clayey soils on drying and wetting paths **1341**

Yasser E. Mostafa and M. Hesham El Naggar Dynamic analysis of laterally loaded pile groups in sand and clay **1358**

NOTES

M.J. Yang, Z.Q. Yue, P.K.K. Lee, B. Su, and L.G. Tham Prediction of grout penetration in fractured rocks by numerical simulation **1384**

Dieter Stolle Pavement displacement sensitivity to layer moduli **1395**

W.K. Leong and J. Chu Effect of undrained creep on instability behaviour of loose sand **1399**

B.V.S. Viswanadham and K.V. Mahesh Modeling deformation behaviour of clay liners in a small centrifuge **1406**

Jimin Peng, J.V. Headley, and S.L. Barbour Adsorption of single-ring model naphthenic acids on soils **1419**

Inge Meilani, Harianto Rahardjo, Eng-Choon Leong, and Delwyn G. Fredlund Mini suction probe for matric suction measurements **1427**

DISCUSSIONS

David Hansen An equation to represent grain-size distribution: Discussion **1433**

M.D. Fredlund, D.G. Fredlund, and G.W. Wilson. An equation to represent grain-size distribution: Reply **1437**

Lech S. Brzezinski Static liquefaction as a possible explanation for the Merriespruit tailings dam failure: Discussion **1439**

A.B. Fourie, G.E. Blight, and G. Papageorgiou Static liquefaction as a possible explanation for the Merriespruit tailings dam failure: Reply **1441**

Note of appreciation / Note de reconnaissance **iii**

List of reviewers / Liste de réviseurs **iv**

Author index for Volume 39 / Index des auteurs pour le volume 39 **AI-1**

Contents index for Volume 39 / Sommaire pour le volume 39 **C-1**